


Attenuator SMA(m) – SMA(f), 10GHz, 15dB

FAT-AM5AF5G10G2W15

Vilnius-09, Lithuania; Tel.: +370 5 2135404; e-mail: info@geozondas.com



Attenuation	VSWR			Attenuation Deviation (\pm dB)		
	DC-2GHz	2-5GHz	5-10GHz	DC-2GHz	2-5GHz	5-10GHz
6 dB	$\leq 1,15$	$\leq 1,25$	$\leq 1,35$	$\pm 0,2$ dB	$\pm 0,3$ dB	$\pm 0,5$ dB
10 dB	$\leq 1,15$	$\leq 1,25$	$\leq 1,35$	$\pm 0,2$ dB	$\pm 0,3$ dB	$\pm 0,5$ dB
15 dB	$\leq 1,15$	$\leq 1,25$	$\leq 1,35$	$\pm 0,2$ dB	$\pm 0,3$ dB	$\pm 0,5$ dB
20 dB	$\leq 1,15$	$\leq 1,25$	$\leq 1,35$	$\pm 0,2$ dB	$\pm 0,3$ dB	$\pm 0,5$ dB
30 dB	$\leq 1,15$	$\leq 1,25$	$\leq 1,35$	$\pm 0,5$ dB	$\pm 1,5$ dB	$\pm 4,0$ dB

Impedance, nominal

50 Ohm

Temperature range

(-50 ÷ +80) °C

Weight

4,74 g